

Iron Fence and Entrance Gates

CATALOGUE 53-A

**Suitable Enclosures for Residence Property, Churches, School Houses,
Cemeteries, Play Grounds, Factories and every place needing
durable and economical Fence or Entrance Gates.**

C. F. HAMBLÉN, INC.
ST. AUGUSTINE, = FLA.



Post No. 2-A

Post No. 2-A

Gate No. 2-A

Post No. 2-A

Post No. 2-A

No. 1-A— $\frac{3}{8}$ -inch Round Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.
 No. 2-A— $\frac{1}{2}$ -inch Round Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.



Post No. 2-A

Post No. 2-A

Gate No. 2-A

Post No. 2-A

Post No. 2-A

No. 9-A— $\frac{3}{8}$ -inch Round Pickets, spaced 4 inches on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail.	Height from ground, when set, 37, 42, 48 inches.
No. 10-A— $\frac{3}{8}$ -inch Round Pickets, spaced 3 inches on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail.	Height from ground, when set, 37, 42, 48 inches.
No. 11-A— $\frac{1}{2}$ -inch Round Pickets, spaced 4 inches on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail.	Height from ground, when set, 37, 42, 48 inches.
No. 12-A— $\frac{1}{2}$ -inch Round Pickets, spaced 3 inches on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail.	Height from ground, when set, 37, 42, 48 inches.



Post No. 3-A

Post No. 3-A

Gate No. 2-A

Post No. 3-A

Post No. 3-A

No. 21-A— $\frac{3}{8}$ -in. Round Pickets, spaced 4 in. on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42 and 48 in.
No. 22-A— $\frac{1}{2}$ -in. Round Pickets, spaced 4 in. on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42 and 48 in.
No. 23-A— $\frac{5}{8}$ -in. Round Pickets, spaced 5 in. on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42, 48, 54 and 60 in.
No. 24-A— $\frac{3}{4}$ -in. Round Pickets, spaced 5 in. on centers.	$1\frac{1}{2} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.



Post No. 3-A


Post No. 3-A

Gate No. 2-A

Post No. 3-A

Post No. 3-A

No. 33-A— $\frac{3}{8}$ -inch Round Pickets, spaced 2 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.
 No. 34-A— $\frac{1}{2}$ -inch Round Pickets, spaced 2 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.



No. 41-A— $\frac{3}{8}$ -inch Round Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.



Post No. 4-A

Post No. 4-A

Gate No. 2-A

Post No. 4-A

Post No. 4-A

No. 65-A— $\frac{3}{8}$ -inch Round Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.
 No. 66-A— $\frac{1}{2}$ -inch Round Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.



Post No. 6-A

Post No. 6-A

Gate No. 2-A

Post No. 6-A

Post No. 6-A

No. 71-A— $\frac{3}{8}$ -in. Round Pickets, spaced 4 in. on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42 and 48 in.
No. 72-A— $\frac{1}{2}$ -in. Round Pickets, spaced 4 in. on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42 and 48 in.
No. 73-A— $\frac{5}{8}$ -in. Round Pickets, spaced 5 in. on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42, 48, 54 and 60 in.
No. 74-A— $\frac{3}{4}$ -in. Round Pickets, spaced 5 in. on centers.	$1\frac{1}{2} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.



Post No. 14-A

Post No. 14-A


Gate No. 2-A

Post No. 14-A

Post No. 14-A


No. 81-A— $\frac{3}{8}$ -inch Round Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.

No. 82-A— $\frac{1}{2}$ -inch Round Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.



No. 91-A— $\frac{3}{8}$ -inch Round Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.
 No. 92-A— $\frac{1}{2}$ -inch Round Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.

This design cannot be graded over $\frac{1}{2}$ -inch to the foot on account of ornaments under top rail.



Post No. 20-A


Post No. 20-A

Gate No. 6-A—Special

Post No. 20-A

Post No. 20-A

No. 97-A— $\frac{3}{8}$ -inch Round Pickets, spaced 5 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.
 No. 98-A— $\frac{1}{2}$ -inch Round Pickets, spaced 5 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48 inches.



Post No. 2-A

Post No. 2-A

Gate No. 5-A

Post No. 2-A

Post No. 2-A

No. 105-A— $\frac{3}{8}$ -in. Square Pickets, spaced 4 in. on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42 and 48 in.
No. 106-A— $\frac{1}{2}$ -in. Square Pickets, spaced 4 in. on centers.	$1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42 and 48 in.
No. 107-A— $\frac{5}{8}$ -in. Square Pickets, spaced 5 in. on centers.	$1\frac{1}{2} \times \frac{1}{2}$ -in. Channel Rail.	Height from ground, when set, 37, 42, 48, 54 and 60 in.
No. 108-A— $\frac{3}{4}$ -in. Square Pickets, spaced 5 in. on centers.	$2 \times \frac{5}{8}$ -in. Channel Rail.	Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.
No. 109-A— $\frac{7}{8}$ -in. Square Pickets, spaced 5 in. on centers.	$2\frac{1}{2} \times \frac{7}{8}$ -in. Channel Rail.	Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.



Post No. 5-A

Post No. 5-A

Gate No. 2-A

Post No. 5-A

Post No. 5-A

No. 127-A— $\frac{3}{8}$ -in. Square Pickets, spaced 4 in. on centers. $1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42 and 48 in.
 No. 128-A— $\frac{1}{2}$ -in. Square Pickets, spaced 4 in. on centers. $1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42 and 48 in.
 No. 129-A— $\frac{5}{8}$ -in. Square Pickets, spaced 5 in. on centers. $1\frac{1}{2} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54 and 60 in.
 No. 130-A— $\frac{3}{4}$ -in. Square Pickets, spaced 5 in. on centers. $2 \times \frac{5}{8}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.



Post No. 9-A

Post No. 9-A

Gate No. 5-A

Post No. 9-A

Post No. 9-A

No. 137-A— $\frac{3}{8}$ -in. Square Pickets, spaced 5 in. on centers. $1\frac{1}{2} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54 and 60 in.

No. 138-A— $\frac{1}{4}$ -in. Square Pickets, spaced 5 in. on centers. $2 \times \frac{5}{8}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.



Post No. 26-A

Post No. 26-A

Gate No. 5-A

Post No. 26-A

Post No. 26-A

No. 139-A— $\frac{5}{8}$ -in. Square Pickets, spaced 5 in. on centers. $1\frac{1}{2} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54 and 60 in.
 No. 140-A— $\frac{3}{4}$ -in. Square Pickets, spaced 5 in. on centers. $2 \times \frac{5}{8}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.
 No. 141-A—1-in. Square Pickets, spaced 5 in. on centers. $2\frac{1}{2} \times \frac{7}{8}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.



Post No. 16-A


Post No 16-A

Gate No. 5-A—Special

Post No. 16-A

Post No. 16-A

- No. 148-A— $\frac{3}{8}$ -in. Square Pickets, spaced 4 in. on centers. $1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42 and 48 in.
 No. 149-A— $\frac{1}{2}$ -in. Square Pickets, spaced 4 in. on centers. $1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42 and 48 in.
 No. 150-A— $\frac{5}{8}$ -in. Square Pickets, spaced 5 in. on centers. $1\frac{1}{2} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54 and 60 in.
 No. 151-A— $\frac{3}{4}$ -in. Square Pickets, spaced 5 in. on centers. $2 \times \frac{5}{8}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.
 No. 152-A— $\frac{7}{8}$ -in. Square Pickets, spaced 5 in. on centers. $2\frac{1}{2} \times \frac{7}{8}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.



Post No. 11-A

Post No. 11-A

Gate No. 5-A—Special

Post No. 11-A

Post No. 11-A

No. 156-A— $\frac{1}{2}$ -in. Square Pickets, spaced 4 in. on centers. $1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42 and 48 in.
 No. 157-A— $\frac{5}{8}$ -in. Square Pickets, spaced 5 in. on centers. $1\frac{1}{2} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54 and 60 in.
 No. 158-A— $\frac{3}{4}$ -in. Square Pickets, spaced 5 in. on centers. $2 \times \frac{5}{8}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.



Post No. 11-A

Post No. 11-A

Gate No. 2-A

Post No. 11-A

Post No. 11-A

- No. 178-A— $\frac{3}{8}$ -in. Square Pickets, spaced 4 in. on centers. $1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42 and 48 in.
 No. 179-A— $\frac{1}{2}$ -in. Square Pickets, spaced 4 in. on centers. $1\frac{1}{4} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42 and 48 in.
 No. 180-A— $\frac{5}{8}$ -in. Square Pickets, spaced 5 in. on centers. $1\frac{1}{2} \times \frac{1}{2}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54 and 60 in.
 No. 181-A— $\frac{3}{4}$ -in. Square Pickets, spaced 5 in. on centers. $2 \times \frac{5}{8}$ -in. Channel Rail. Height from ground, when set, 37, 42, 48, 54, 60 and 72 in.



Post No. 9-A

Post No. 9-A

Gate No. 2-A

Post No. 9-A

Post No. 9-A

- No. 190-A— $\frac{1}{2}$ -inch Square Long Pickets, $\frac{1}{2}$ -inch Square Short Pickets, spaced 4 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42 and 48 inches.
- No. 191-A— $\frac{3}{8}$ -inch Square Long Pickets, $\frac{1}{2}$ -inch Square Short Pickets, spaced 5 inches on centers. $1\frac{1}{2} \times \frac{1}{2}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48, 54 and 60 inches.
- No. 192-A— $\frac{1}{4}$ -inch Square Long Pickets, $\frac{1}{2}$ -inch Square Short Pickets, spaced 5 inches on centers. $2 \times \frac{5}{8}$ -inch Channel Rail. Height from ground, when set, 37, 42, 48, 54 and 60 inches.



Post No. 8-A

Post No. 8-A

Gate to match

Post No. 8-A

Post No. 8-A

No. 206-A— $\frac{3}{8}$ -inch Round Pickets, spaced 6 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from coping, 24 and 30 inches.
 No. 207-A— $\frac{1}{2}$ -inch Round Pickets, spaced 6 inches on centers. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from coping, 24 and 30 inches.

This design cannot be graded over $\frac{1}{2}$ -inch to the foot on account of the ornaments passing over top rail.



Post No. 2-A

Post No. 2-A

Gate to match

Post No. 2-A

Post No. 2-A

No. 208-A— $\frac{7}{8}$ -inch Round Pickets. $1\frac{1}{4} \times \frac{1}{2}$ -inch Channel Rail. Height from coping, 20, 24 and 28 inches.



Flat Newel No. 41-A

Flat Newel No. 41-A

Gate No. 41-A

Flat Newel No. 41-A

Flat Newel No. 41-A

No. 217-A—	$\frac{1}{2}$ -inch	Square	Pickets.	$1\frac{1}{4} \times \frac{1}{2}$ -inch	Channel Rail.	Height from coping, 24 and 30 inches.
No. 218-A—	$\frac{5}{8}$ -inch	Square	Pickets.	$1\frac{1}{2} \times \frac{1}{2}$ -inch	Channel Rail.	Height from coping, 24 and 30 inches.
No. 219-A—	$\frac{3}{4}$ -inch	Square	Pickets.	$2 \times \frac{3}{8}$ -inch	Channel Rail.	Height from coping, 24 and 30 inches.

This design cannot be graded over $\frac{1}{2}$ -inch to the foot on account of construction.



Post No. 2-A Walk Gate No. 2-A Post No. 2-A

Drive Gate No. 11-A

Post No. 2-A Walk Gate No. 2-A Post No. 2-A

Double Drive Gate No. 11-A.
8 ft. 6 in. and 10 ft. wide between posts.
Constructed of $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$ and $\frac{3}{4}$ -inch pickets.

The No. 11-A Double Drive Gate is strongly braced and is especially suitable for two or three rail fence, particularly with designs having bow top pickets.



Post No. 20-A Walk Gate No. 5-A Post No. 20-A

Drive Gate No. 13-A

Post No. 20-A Walk Gate No. 5-A Post No. 20-A

Double Drive Gate No. 13-A.
8 ft. 6 in. and 10 ft. wide between posts.
Constructed of $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$ and 1-inch pickets.

Our No. 13-A Double Drive Gate is especially suitable with straight picket fence, particularly where a heavy gate is wanted.



Walk Gate No. 50-A

Drive Gate No. 50-A

Walk Gate No. 50-A

Double Drive Gate No. 50-A.
Standard widths 10 ft., 12 ft. and 14 ft. wide between posts.
Constructed of $\frac{5}{8}$, $\frac{3}{4}$ and $\frac{7}{8}$ -inch pickets.

Walk Gate No. 50-A
Standard widths 3 ft. 6 in. and 4 ft. wide between posts.
Constructed of $\frac{5}{8}$, $\frac{3}{4}$ and $\frac{7}{8}$ -inch pickets.



Walk Gate No. 54-A

Drive Gate No. 54-A

Walk Gate No. 54-A

Double Drive Gate No. 54-A.
Standard widths 10 ft., 12 ft. and 14 ft. wide between posts.
Constructed of $\frac{5}{8}$, $\frac{3}{4}$ and $\frac{7}{8}$ -inch pickets.

Walk Gate No. 54-A.
Standard widths 3 ft. 6 in. and 4 ft. wide between posts.
Constructed of $\frac{5}{8}$, $\frac{3}{4}$ and $\frac{7}{8}$ -inch pickets.

CEMETERY LOT ENCLOSURES A SPECIALTY

Any Catalogue Design can be used to enclose Cemetery Lots.



No. 16-A Fence, No. 2-A Posts and No. 2-A Gate



No. 106-A Fence, No. 1-A Posts and No. 1-A Gate
Fence shown on Page 11 in this catalogue.

Many cemeteries are not properly enclosed, and for this reason, the individual lots need fence protection.

Double Drive Gate No. 64-A.
Standard widths 10 ft., 12 ft.
and 14 ft. wide between posts.
Constructed of $\frac{5}{8}$, $\frac{3}{4}$
and $\frac{7}{8}$ -inch pickets.



Walk Gate No. 64-A.
Standard widths 3 ft. 6 in.
and 4 ft. wide between posts.
Constructed of $\frac{5}{8}$, $\frac{3}{4}$
and $\frac{7}{8}$ -inch pickets.

Walk Gate No. 64-A

Drive Gate No. 64-A

Walk Gate No. 64-A

Double Drive Gate No. 64-A.
Standard widths 10 ft., 12 ft.
and 14 ft. wide between posts.

Walk Gate No. 64-A.
Standard widths 3 ft. 6 in.
and 4 ft. wide between posts.

Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, www.apti.org for the
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of

Tulane University: Southeastern Architectural Archive <http://seaa.tulane.edu>



Walk Gate No. 64-A

Drive Gate No. 64-A

Walk Gate No. 64-A